PROCEEDINGS

2017

INTERNATIONAL CONFERENCE
ON INNOVATIVE AND CREATIVE INFORMATION TECHNOLOGY

"Computational Intelligence and IoT"

November 2-4, 2017
Salatiga, Indonesia

UNIVERSITAS KRISTEN SATYA WACANA

FACULTY OF INFORMATION TECHNOLOGY

The Conference Committee

Steering Committee

1. Prof. Dr. Eko Sediyono, Universitas Kristen Satya Wacana, Indonesia.
2. Prof. Rung-Ching Chen, Ph.D, Chaoyang University of Technology, Taiwan.
3. Prof. Dr. Kwoh Chee Keong, Nanyang Technological University, Singapore.

General Chair

Hindriyanto Dwi Purnomo, Ph.D, Universitas Kristen Satya Wacana, Indonesia.

Publication Chair

1. Dr. Iwan Setyawan, Universitas Kristen Satya Wacana, Indonesia.
2. Dr. Angelito Silverio, University of Santo Thomas, Philippines.

Technical Program Committee

1 Prof. Danny Manongga, Ph.D, Satya Wacana Christian University, Indonesia
2 Budhi Kristianto, Ph.D, Satya Wacana Christian University, Indonesia
3 Prof. Mohammad Faiz Liew Abdullah, Universiti Tun Hussein Onn Malaysia
4 Dr. Hadhrami Ab Ghani, Multimedia University, Malaysia
5 Prof. Ming-Fong Tsai, Feng Chia University, Taiwan
6 Julius Sese, PhD, Mapua University, Philippines
7 Dr. Gloria Virginia, Duta Wacana Christian University, Indonesia
8 Ankur Bist, PhD, Krishna Institute of Engineering and Technology (KIET), Ghaziabad, India
9 Dr. Thaweesak Yingthawornsuk, King Mongkut's University of Technology Thonburi, Thailand
10 Dr. Taufik Hasan, Institut Teknologi Telkom, Indonesia
11 Dr. Paolo Crippa, Università Politecnica delle Marche, Italy
12 Dr. Iwan Nyoto Sandjaja, Petra Christian University, Indonesia
13 Dr. Indra Riyanto, Budi Luhur University, Indonesia
14 Dr. Hendry, Chaoyang University of Technology , Taiwan
15 Dr. Quanxin Zhao, University of Electronic Science and Technology of China, P.R. China
16 Prof. Mu-Song Chen, Da-Yeh University, Taiwan
17 Dr. Gary Yu-Hsin Chen, Chung Yuan Christian University, Taiwan
18 Dr. Endang Djuana, Trisakti University, Indonesia
19 Dr. Rosnawati Buhari, Universiti Tun Hussein Onn Malaysia, Malaysia
20 Prof. Shashikant Shantilal Patil, SVKM NMIMS Mumbai, India
21 Dr. Meonghun Lee, National Institute of Agricultural Sciences, Korea

22 Dr. Ujwal Bagal, Bioinformatics at Centers for Disease Control and Prevention, USA
23 Dr. Tuğçe Bilen, Istanbul Technical University, Turkey
24 Dr. Edy Winarno, Universitas Stikubank Semarang, Indonesia
25 Dr. Irwan Sembiring, Satya Wacana Christian University, Indonesia
26 Suherman, PhD, University of Sumatera Utara, Indonesia
27 Dr. Norkhairani Abdul Rawi, Universiti Sultan Zainal Abidin, Malaysia
28 Dr. Iwan Adhicandra, University of Sydney, Australia
29 Dr. Osama M. F. Abu-Sharkh, Princess Sumaya University For Technology, Jordan
30 Prof. Chokri Souani, University of Sousse & University of Monastir, Tunisia
31 Dr. Fairul Azhar Abdul Shukor, Universiti Teknikal Malaysia Melaka, Malaysia
32 Prof. Rodrigo Campos Bortoletto, São Paulo Federal Institute of Education, Science and Technology & Federal University of the ABC, Brazil
33 Dr. Mehran Alidoost Nia, University of Tehran & University of Guilan, Iran
34 Dr. Ashutosh Kumar Dubey, Trinity Institute of Technology and Research Bhopal, India
35 Dr. Jouni Tervonen, University of Oulu, Finland
36 Dr. Dimitrios Kallergis, University of Piraeus, Greece
37 Dr. Mushtaque Korai, Yanbu Industrial College, Saudi Arabia
38 Dr. Oussama H. Hamid, University of Magdeburg (Germany) & University of Kurdistan Hewler, Iraq
39 Dr. Rodrigo Montufar-Chaveznava, Universidad Nacional Autonoma de Mexico, Mexico
40 Dr. Pujianto Yugopuspito, Universitas Pelita Harapan, Indonesia
41 Dr. Zhe Zhang, George Mason University, USA
42 Dr. Karim Hashim Al-Saedi, University of Mustansiriyah & College of Science, Iraq
43 Dr. Billy Pik Lik Lau, Singapore University of Technology and Design, Singapore
44 Prof. Mohammed Ibrahim Alghamdi, Al-Baha University, Saudi Arabia
45 Dr. Mohamed Abid, University of Gabes, Tunisia
46 Dr. Shuvendu Rana, University of Strathclyde, United Kingdom (Great Britain)
47 Dr. Preecha Somwang, Rajamangala University of Technology Isan, Thailand
48 Dr. Harikumar Rajaguru, Anna University Chennai & Bannari Amman Institute of Technology, India
49 Dr. Upasna Vishnoi, Marvell Semiconductor Inc, USA
50 Dr. George Suciu, Politehnica University of Bucharest & BEIA Consult International SRL, Romania
51 Dr. Noriko Etani, Kyoto University, Japan
52 Dr. Eliana Werbin, Universidad Nacional de Cordoba, Argentina
53 Dr. Jose David Alanis, Universidad Tecnologica de Puebla, Mexico

54 Dr. Hengky Susanto, Huawei Technology, Hong Kong
55 Dr. Prashant Vats, Banasthali University, Rajasthan, India
56 Dr. Samsul Ariffin Abdul Karim, Universiti Teknologi Petronas, Malaysia
57 Dr. Bassam Al-Naami, Hashemite University, Jordan
58 Prof. Wei Wei, Xi'an University of Technology, P.R. China
59 Dr. Pablo Corral, Miguel Hernández University, Spain
60 Dr. Alper Bereketli, ASELSAN Inc., Turkey
61 Dr. Diego Arcos-Aviles, Universidad de las Fuerzas Armadas ESPE, Ecuador
62 Prof. Radu Arsinte, Technical University of Cluj-Napoca, Romania
63 Dr. Weng Siew Lam, Universiti Tunku Abdul Rahman (UTAR), Malaysia
64 Dr. Mohammed I. Younis, University of Baghdad & College of Engineering, Iraq
65 Prof. Ales Zamuda, University of Maribor & Faculty of Electrical Engineering and Computer Science, Slovenia
66 Dr. Mithileysh Sathiyanarayanan, City, University of London,United Kingdom (Great Britain)
67 Dr. Sudhanshu Tyagi, Thapar University, Patiala, India
68 Dr. Arcangelo Castiglione, University of Salerno, Italy
69 Dr. Naser Taleb, Al-Ain University, United Arab Emirates
70 Dr. Briliant Adhi Prabowo, Chang Gung University, Taiwan
71 Dr. Raad S. Al-Qassas, Princess Sumaya University For Technology, Jordan
72 Dr. Sio Tai Cheong, Macao Polytechnic Institute, Macao
73 Prof. Ciza Thomas, College of Engineering Trivandrum, India
74 Dr. Selva Rivera, Cuyo National University, Argentina
75 Dr. Adi Setiawan, Satya Wacana Christian University, Indonesia
76 Dr. Aditi Sharma, MBM Engineering College Jodhpur & Jai Narayan Vyas University, AICTE, India
77 Prof. Ashish Bagwari, UTU, India
78 Dr. Nadheer A. Shalash, Al-Mamon University College, Iraq
79 Dr. Filbert H. Juwono, University of Indonesia, Indonesia
80 Dr. Radu A. Vasiu, Politehnica University of Timisoara,Romania
81 Dr. Abdul Halim Ali, Universiti Kuala Lumpur, Malaysia
82 Dr. Jayanta Kumar Debnath, University of Manitoba, Canada
83 Dr. Hussein Alzoubi,Yarmouk University, Jordan
84 Dr. Moussa Diaf, Université Mouloud Mammri, Algeria
85 Dr. Anna Antonyová, University of Prešov in Prešov, Slovakia
86 Dr. Domenico Ciuonzo, University of Naples Federico II, Italy
87 Dr. Zhi Liu, Shizuoka University, Japan
88 Dr. Rajesh M Pindoriya, Indian Institute of Technology Mandi & IIT Mandi, Himachal Pradesh, India

89 Prof. Dr. Wiranto Herry Utomo, Satya Wacana Christian University, Indonesia

Publicity Committee

1. Evangs Mailoa, M.Cs., Universitas Kristen Satya Wacana, Indonesia.
2. Hargyo Tri Nugroho, MS. University of Multimedia Nusantara, Indonesia.
3. Gunawan Dewantoro, M.Sc.Eng, Universitas Kristen Satya Wacana, ndonesia.
4. Widya Damayanti, M.Sc., Universitas Kristen Satya Wacana, Indonesia.

Conference Secretary

Hanna Prillysca Chernovita, M.Cs. Universitas Kristen Satya Wacana, Indonesia.

Local Event Management

1. Nina Setiyawati, M.Cs. Universitas Kristen Satya Wacana, Indonesia.
2. Radius Tanone, M.Cs. Universitas Kristen Satya Wacana, Indonesia.

Schedule

1. **November 2nd , 2017**

   13.00 - 16.00 : Registration (FTI Building, Blotongan, Salatiga, Indonesia)

2. **November 3rd , 2017**

   08.00 - 09.30 : Registration
   08.30 - 09.00 : Coffee break
   09.00 - 09.30 : Opening
   09.30 - 10.30 : Keynote speaker 1 : Prof. Rung-Ching Chen, Ph.D
   10.30 - 11.30 : Keynote speaker 2 : Prof. Dr. Kwoh Chee Keong
   11.30 - 13.30 : Lunch
   13.30 - 15.00 : Parallel session I
   15.00 - 15.15 : Coffee break
   15.15 - 16.45 : Parallel session II
   16.45 - 17.00 : Closing

3. **November 4th , 2017**

   07.00 – 19.00 : One day tour to Borobudur and Yogyakarta Palace
   (Registration is needed)

Parallel Session I : 13.30 - 15.00

Group A : Moderator Prof. Ahmed Zellou

No	Authors	Title
1	Siti Ummi Masruroh, Muhammad Fathul Iman, Amelia, Andrew Fiade	Performance Evaluation of Routing Protocol RIPv2, OSPF, EIGRP with BGP
2	Setyawan Edy, Wang Gunawan, Bambang Dwi Wijanarko	Analysing the Trends of Cyber Attacks Case Study in Indonesia during Period 2013-Early 2017
3	Edi Jaya Kusuma, Oktaviana Rena Indriani, Christy Atika Sari	An Imperceptible LSB Image Hiding on Edge Region Using DES Encryption
4	Indrastanti Ratna Widiasari, Lukito Edi Nugroho, Widyawan	Deep Learning Multilayer Perceptron (MLP) for Flood Prediction Model Using Wireless Sensor Network Based Hydrology Time Series Data Mining
5	Sara Ouaftouh, Ahmed Zellou, Ali Idri	CARMS: Clustering based approach for recommendation in mediation systems

Parallel Session I : 15.15 - 16.45

Group B : Moderator Dr. Iwan Setyawan

No	Authors	Title
1	Oktaviana Rena Indriani, Edi Jaya Kusuma, Christy Atika Sari, Eko Hari Rachmawanto, De Rosal Ignatius Moses Setiadi	Tomatoes Classification Using K-NN Based on GLCM and HSV Color Space
2	Bambang Krismono Triwijoyo, Yaya Heryadi	Retina Disease Classification Based on Colour Fundus Images Using Convolutional Neural Networks
3	Prajanto Wahyu Adi, Farah Zakiyah Rahmanti	Improving CRT Based Watermarking Using Integer Wavelet Projection
4	Tjeng Wawan Cenggoro, Sani M. Isa, Gede Putra Kusuma , Bens Pardamean	Classification of Imbalanced Land-Use/Land-Cover Data Using Variational Semi-Supervised Learning

Parallel Session I : 13.30 - 15.00

Group C : Moderator Prof. Eko Sediyono

No	Authors	Title
1	Dwi Suparjo Putra, Kristoko Hartomo, Eko Sediyono	Standarized Precipitation Index Web Application Mapping Shiny Model
2	Hindriyanto Dwi Purnomo, Ramos Somya, Charitas Fibriani, Hui-Ming Wee	Soccer Games Optimization for Traveling Salesman Problem
3	Tigor Nauli	Detection of Repetitive Nucleotides in DNA Sequences
4	Ria Chaniago, Masayu Khodra	Extraction Information on Novel Text Using Machine Learning and Rule Based System
5	Risti Monalisa, Kusnawi Kusnawi	Decision Support System of Model Teacher Selection Using PROMETHEE Method

Parallel Session I : 15.15 - 16.45

Group C : Moderator Prof. Eko Sediyono

No	Authors	Title
1	Edy Winarno, Wiwien Hadikurniawati, Rendy Nusa Rosso	Location Based Service for Presence System Using Haversine Method

Table of Content

Retina Disease Classification Based on Colour Fundus Images using Convolutional Neural Networks

Bambang Krismono Triwijoyo[1,2,*], Yaya Heryadi[1,#], ,Lukas[1,3, †], Adang S Ahmad[1,‡], Boy Subirosa Sabarguna[1, Ψ], Widodo Budiharto[1, †], Edi Abdurachman[1,ɪ],

[1]Doctor in Computer Science, Binus Graduate Program Bina Nusantara University, Jl. Kebon Jeruk No.27, Jakarta.
[2]STMIK Bumigora, Jl. Ismail Marzuki Mataram.
[3]Cognitive Engineering Research Group (CERG), Faculty of Engineering Universitas Katolik Indonesia Atma Jaya, Jakarta.

Email : *bambang.triwijoyo@binus.ac.id, #yayaheryadi@binus.adu, †lukas@atmajaya.ac.id, ‡adangsahmad@yahoo.com, Ψsabarguna08@ui.ac.id, †wbudiharto@binus.edu, ɪ edia@binus.edu.

Abstract—This paper explores Convolutional Neural Networks (CNN) as a classifier to recognize retinal images. The dataset used in this research is public STARE color image dataset comprises of $\mathbf{61 \times 70, 46 \times 53}$, and $\mathbf{31 \times 35}$ pixels. The dataset is categorized into 15 classes. The experimentation shows that the CNN model can achieve 80.93 percent.

Keywords—classification; retina disease; deep learning;CNN

Retina Disease Classification Based on Colour Fundus Images using Convolutional Neural Networks

Bambang Krismono Triwijoyo, Yaya Heryadi, ,Lukas, Adang S Ahmad,
Boy Subirosa Sabarguna, Widodo Budiharto, Edi Abdurachman,
Doctor in Computer Science, Binus Graduate Program Bina Nusantara University, Jl. Kebon Jeruk No.27, Jakarta.
STMIK Bumigora, Jl. Ismail Marzuki Mataram.
Cognitive Engineering Research Group (CERG), Faculty of Engineering Universitas Katolik Indonesia Atma Jaya, Jakarta.
bambang.triwijoyo@binus.ac.id, yayaheryadi@binus.adu, lukas@atmajaya.ac.id, adangsahmad@yahoo.com,
sabarguna08@ui.ac.id, wbudiharto@binus.edu, edia@binus.edu.

***Abstract*—This paper explores Convolutional Neural Networks (CNN) as a classifier to recognize retinal images. The dataset used in this research is public STARE color image dataset comprises of 61×70, 46×53, and 31×35 pixels. The dataset is categorized into 15 classes. The experimentation shows that the CNN model can achieve 80.93 percent.**

Keywords—classification; retina disease; deep learning;CNN

I. Introduction

Retinal eye image classification is an interesting computer vision problem with wide applications in medical field. Understanding of retinal image, for example, is very important for ophthalmologists to assess eye diseases such as glaucoma and hypertension; if left untreated, these diseases can caused visual impairment and blindness. Many previous studies conclude that understanding vascular abnormalities from retinal image helps medical doctors in providing early diagnosis and treatment to stroke [1-2], cerebral damage [3], carotid atherosclerosis [4], artery disease [5], cerebral amyloid angiopathy [6]. Some evidences from these studies have shown that periodic examination of retinal eye by specialists improve patients' quality of life.

Human retinal eye is a light-sensitive tissue which is essential and necessary for human vision. Anatomically, the retina of the eye has some similarities to the central nervous system. The fact that the retinal blood vessels are affected by the brain's microvascular condition [7] causes damage to the retinal eye to indicate systemic microvascular damage associated with several diseases such as hypertension or diabetes [8].

In the past decade, retinal image classification has gained wide research attention resulted in a vast number of reports in literature [9-12]. Although there have been many proposed methods, recognizing retinal eye images remain a challenging computation problem. The challenge, among others, is fundus variability of each patient

The objective of this research; therefore, is to build a robust retinal image classifier using retinal color images as input. The remaining of this paper is divided into four sections, after this introductory section will be described the related works section will discuss relevant previous research. Then, the third section discusses methods and outcomes as well as discussions, In the last section, we conclude the result of this study and our future work.

II. Related Works

In the past two decades, a vast number of studies in retinal image analysis have been proposed resulted in a plethora of methods thanks to the advent technology in digital imaging and analysis [13-18]. Many researchers have developed an automatic detection system of retinal disease and diabetic retinopathy disease using the Support vector machine (SVM) method [19]. Classification of the exudate region using the C-means fuzzy grouping method has been proposed by [20].

The study by [21] presents automatic segmentation of retinal colored blood vessels. The diabetic retinopathy classification method using the visual-forward neural visual neutral spectral component has been proposed by [22]. Further study by [12] also proposes artificial neural networks to perform the detection of diabetic retinopathy. The detection of retinal eye bleeding which is a symptom of diabetic retinopathy has been proposed by [23] using a support vector machine (SVM).

The development of an automatic detection system of diabetic retinopathy in digital retinal images as well as evaluation of its potential in screening of diabetic retinopathy has been proposed by [24]. An intelligent automatic detection system of diabetic retinopathy for diagnostic purposes has been performed by [25] using feed-forward neural networks.

III. Research Method

A. Research Framework

The framework of this research in general can be summarized in Fig. 1. As can be seen from Fig 1, the main processes are: image preprocessing, classifier training, and classifier testing.

B. Dataset

The dataset for this research is the public STARE dataset which contains 400 of 605×700 pixels of retinal color images in 24 bit RGB format [26]. This dataset can be downloaded from the site http://cecas.clemson.edu/~ahoover/stare/.



Fig. 1. Retina disease classification model

In this study, the image dataset is resized into three image sizes: $61 \times 70, 46 \times 53$ and 31×35 pixels respectively. The dataset is categorized by experts into 15 categories (classes) of retinal diseases. Category distribution of the dataset is summarized into Table 1.

TABLE I. IMAGE LABELING

Label	Classification	
	Diagnosis	***Number of image***
0	Normal	39
1	Hollenhorst Emboli	13
2	Branch Retinal Artery Occlusion	7
3	Cilio-Retinal Artery Occlusion	9
4	Branch Retinal Vein Occlusion	11
5	Central Retinal Vein Occlusion	25
6	Hemi-Central Retinal Vein Occlusion	12
7	Background Diabetic Retinopathy	70
8	Proliferative Diabetic Retinopathy	23
9	Arteriosclerotic Retinopathy	34
10	Hypertensive Retinopathy	35
11	Coat's	14
12	Macroaneurism	8
13	Choroidal Neovascularization	60
14	Macular Degeneration	156

As can be seen from Table I, data distribution for each category is imbalance. We use random oversampling mechanisms to increase the number of samples from a randomly selected minority class by replicating the selected samples to a certain amount for the balance of the dataset [29]. The oversampling method is chosen because it is simple to understand and visualize. In our research, the dataset is up-samples so that the number of retinal images for each class label becomes 200 images. So, the total image becomes 3,000 retinal images.

C. Preprocessing

In this research, the retinal image dataset is resized by factors: 10%, 7.5% and 5% resulted in three resolution datasets namely: $61 \times 70, 46 \times 53,$ and 31×35 pixels respectively. Fig. 2 shows, the size comparison between the original image with image resizing results.



Fig. 2. Retina image from STARE dataset. (a) original image, (b-d) Resizing image to 61x70, 46x53 and 31x35 pixels

D. Classifier Configuration

Following LeCun [27], in this research, we used Convolutional Neural network (CNN) as classifier for retinal image classification. As stated by Karpathy *et al.* [28], architecture of CNN model enables researchers to build neural networks with many parameters to learn from a given input dataset to solve many classification problems.

Table II shows the proposed CNN architectural configuration.

TABLE II. CNN CONFIGURATION

Layer	***Layer Type***	***Number of Map and neuron***	***Kernel***
1	Input	1 map for each size of 61x70x3, 46x53x3 and 31x35 neurons	
2	Convolutional	20 maps for for each size of 61x70x3, 46x53x3 and 31x35 neurons	5 x 5
3	ReLU	20 maps for for each size of 61x70x3, 46x53x3 and 31x35x3 neurons	
4	Max Pooling	Stride=1	2 x 2
5	Fully Connected	For each size of image 3255, 2106 and 864 neurons	1 x 1
6	SoftMax	15 neurons	

E. Model Training and Cross-validation

The CNN model is then supervisedly trained using stochastic gradient rise with momentum as optimizer to minimize the lost as formulated in equation (1).

$$Loss = \frac{1}{N}\sum_{i=1}^{b}\sum_{j=1}^{b_i}\left(t_{ij} - o_{ij}\right)^2 \quad (1)$$

Where: t_{ij} be actual class of j^{th} sample of i^{th} training batch; t_{ij} be predicted class of j^{th} sample of i^{th} training batch; and N is the total training or testing samples.

In this research, cross-validation uses leave-one out technique. We use this method because based on experiments by [30] show that the leave-one-out cross-validation achieves training time seven times faster and have error rate considerably less than these of k-fold cross-validation. Using this technique, we divide the dataset into two parts randomly to become training dataset and testing dataset. Each category consisted of 200 images taken 75% or 150 images for training data and 25% or 50 images used for test data.

Finally, performance of the model is measured using accuracy metric which is computed using the following formula:

$$Accuracy = \frac{TF+TN}{N} \tag{2}$$

Where: TF is true positive; TN is true negative; and N is the total training or testing samples.

IV. RESULT AND DISCUSSION

Training process up to 100 epochs or 1700 iterations of the three types of input image resolutions of 61×70, 46×53, and 31×35 pixels respectively are shown in Fig 3.

As can be seen from Fig 3, due to its input size, the longest training time is achieved with input size 61x70 pixels; whilst, the fastest training time is achieved with input size 31x35 pixels. As we expected, the greater input image resolution, the longer computational time will be.



Fig. 3. The CNN training time

Training loss and accuracy rates of the CNN for all three types of image resolution are represented in Fig 4. As can be seen from Fig. 4, surprisingly, the highest training accuracy is achieved by the input image size 61×70 *and* 31×35 with an accuracy of 82.03%; whilst, training accuracy of the input image 46×53 pixel is 78.91%.

For training losses from 1700 iteration, the highest loss (37.75 %) is achieved from the smallest input image 31×35. Whilst, the loss from input images 46×53 is 42.80% and from input images 61×70 is 47.05%. Surprisingly, in this research, the higher input resolution, the higher accuracy and the lower losses are achieved.

Fig. 5 shows a comparison graph of training accuracy and test accuracy of each network model for input image sizes of 61×70, 46×53 and 31×35 pixels. From Fig. 5 shows that the highest training accuracy is obtained from image input resolution 61×70 and 46×53 that is 82.03%, while the highest test accuracy is obtained from 31×35 input image resolution of 80.93%.



Fig. 4. Training performance of the three types of image input resolution



Fig. 5. The CNN training and testing accuracy

Table III shows the comparison of methods and results of previous researchers, it appears that although our method of accuracy is relatively lower but our contribution is our method of exploring deep-learning methods for the detection of fifteen retinal diseases based on the public STARE database, Other researchers to develop methods using the same dataset as ground truth.

TABLE III. COMPARISON WITH OTHERS METHOD

Authors	***Classification Method***	***Number of diseases detected***	***Dataset***	***Accuracy***
Marin. et al [12]	A Neural network	1	STARE DRIVE	95.2% 94.5%
You. et al [19]	Support Vector Machines	1	STARE DRIVE	93.5% 94.3%
Kande. Et al [20]	Fuzzy C-Means clustering	1	STARE DRIVE	89.7% 89.1%
Palomera-Pérez,et al [21]	Multi-scale differential	1	STARE DRIVE	92.4% 92.2%
Ricci. et al [23]	Support Vector Machines	1	STARE DRIVE	96.4% 95.9%
Our method	Deep Learning	15	STARE	80,93%

V. CONCLUSION

Classification of retinal image will get benefit from robust classifier. Our experiments show that the highest training accuracy is obtained from input images measuring 61×70 and 31×35 pixels. Whilst, the highest test accuracy obtained from the network configuration used is the size of the input image with the smallest resolution of 31×35 pixels with an accuracy of 80.93%. Our next research plan will be to explore further on the various CNN configuration to obtain higher accuracy, such as selecting training algorithms for fully connected layers and the use of ensemble learning machines.

REFERENCES

[1] T. Y.Wong, R. Klein,D. J. Couper et al., “Retinal microvascular abnormalities and incident stroke: the Atherosclerosis Risk in Communities Study,” The Lancet, vol. 358, no. 9288, pp. 1134– 1140, 2001.

[2] P. Mitchell, J. J. Wang, T. Y. Wong, W. Smith, R. Klein, and S. R. Leeder, “Retinal microvascular signs and risk of stroke and stroke mortality,” Neurology,vol.65, no.7,pp. 1005–1009, 2005.

[3] T.Y.Wong,R.Klein, A.R. Sharrett et al., “Cerebral white matter lesions, retinopathy, and incident clinical stroke,” The Journal of the American Medical Association, vol. 288, no. 1, pp. 67–74, 2002.

[4] D. Liao, T. Y. Wong, R. Klein, D. Jones, L. Hubbard, and A. R. Sharrett, “Relationship between carotid artery stiffness and retinal arteriolar narrowing in healthy middle-aged persons,” Stroke,vol.35, no.4,pp. 837–842, 2004.

[5] D.A.deSilva,J.J.F.Manzano,F.-P.Woon et al., “Associations of retinal microvascular signs and intracranial large artery disease,” Stroke,vol.42, no.3,pp. 812–814, 2011.

[6] A. Lee, A. Rudkin, M. Agzarian, S. Patel, S. Lake,C. Chen., “Retinal vascular abnormalities in patients with cerebral amyloid angiopathy,” Cerebrovascular Diseases,vol.28, no.6,pp. 618–622, 2009.

[7] N. Patton,T.Aslam,T.MacGillivray, A. Pattie, I. J.Deary, and B. Dhillon, “Retinal vascular image analysis as a potential screen- ing tool for cerebrovascular disease: a rationale basedonhomol- ogy between cerebral and retinal microvasculatures,” Journal of Anatomy,vol.206,no. 4, pp.319–348,2005.

[8] [1] A. Grosso, N. Cheung, F. Veglio, and T. Y.Wong, “Similarities and differences in early retinal phenotypes in hypertension and diabetes,” Journal of Hypertension,vol.29, no.9,pp. 1667–1675, 2011.

[9] Philips R. P., Spencer T., Ross P. G., Sharp P. F., Forrester J. V.: “Quantification of Diabetic Maculopathy by Digital Imaging of the Fundus”, Eye, 5, 1991, pp. 130-137.

[10] T Spencer, R.P. Philips, P.F. Sharp, J.V. Forrester., “Automated Detection and Quantification of Microaneurysms in Fluorescein Angiograms”, Graefes Arch Clin. Exp. Ophthalmology, 230, 1992, pp. 36-41.

[11] M.E. Goldbaum, N. Katz, M.R. Nelson, Haff L. R.: “The Discrimination of Similarly Coloured Objects in Computer Images of the Ocular Fundus”, Invest Ophthalmology Vision Science, 31, 1990, pp. 617-623.

[12] D. Marín, A. Aquino, M. E. Gegúndez-Arias, and J. M. Bravo, “A new supervised method for blood vessel segmentation in retinal images by using gray-level and moment invariants-based features,” IEEE Trans. Med. Imaging, vol. 30, no. 1, pp. 146–158, 2011.

[13] L. D. Hubbard, R. J. Brothers,W.N.Kingetal.,“Methods for evaluation of retinal microvascular abnormalities associated with hypertension / sclerosis in the Atherosclerosis Risk in Communities Study,” Ophthalmology,vol.106,no. 12,pp. 2269–2280, 1999.

[14] N. Patton, T. M. Aslam, T. MacGillivray et al., “Retinal image analysis: concepts, applications and potential,” Progress in Retinal and Eye Research,vol.25, no.1,pp. 99–127,2006.

[15] T. Y. Wong, M. D. Knudtson, R. Klein, B. E. K. Klein, S. M. Meuer, andL.D.Hubbard,“Computer-assisted measurement of retinal vessel diameters in the Beaver Dam Eye Study: methodology, correlation between eyes, and effect of refractive errors,” Ophthalmology, vol. 111, no. 6, pp. 1183–1190, 2004.

[16] A. Perez-Rovira, T. MacGillivray, E. Trucco et al., “VAMPIRE: vessel assessment and measurement platform for images of the Retina,” in Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBS’11), vol. 2011, pp. 3391–3394, IEEE, Boston, Mass, USA, September 2011.

[17] Y. Yin, M. Adel, and S. Bourennane, “Automatic segmentation and measurement of vasculature in retinal fundus images using probabilistic formulation,” Computational and Mathematical Methods inMedicine, vol. 2013, Article ID260410, 6 pages, 2013.

[18] A.K.G. Schuster, J.E.Fischer, U.Vossmerbaeumer, “Semi automated retinal vessel analysis in non mydriatic fundus photography,” Acta Ophthalmologica,vol.92, no.1,pp. e42–e49, 2014.

[19] X. You, Q. Peng, Y. Yuan, Y. Cheung, and J. Lei, “Segmentation of retinal blood vessels using the radial projection and semi-supervised approach,” Pattern Recognit., vol. 44, no. 10–11, pp. 2314–2324, 2011.

[20] G. B. Kande and P. V. Subbaiah, “Unsupervised Fuzzy Based Vessel Segmentation In Pathological Digital Fundus Images,” pp. 849–858, 2010.

[21] M. A. Palomera-Pérez, M. E. Martinez-Perez, H. Benítez-Pérez, and J. L. Ortega-Arjona, “Parallel multiscale feature extraction and region growing: Application in retinal blood vessel detection,” IEEE Trans. Inf. Technol. Biomed., vol. 14, no. 2, pp. 500–506, 2010.

[22] R. Sivakumar., “Neural Network Based Diabetic Retinopathy Classification Using Phase spectral Periodicity components”, ICGST-BIME Journal, 7, 1, May, 2007.

[23] E. Ricci and R. Perfetti, “Retinal Blood Vessel Segmentation Using Line Operators and Support Vector Classification,” vol. 26, no. 10, pp. 1357–1365, 2007.

[24] D. Usher, M. Dumskyj, T.H. Williamson, S. Nussey, J. Boyce ., ”Automated detection of diabetic retinopathy in digital retinal images: a tool for diabetic retinopathy screening”, 21, 1, January 2004, pp. 84-90.

[25] C. A. Mohamed, “Modular Neural Networks for Automatic Retinopathy Screening”, Artificial Intelligence and Soft Computing, ASC, 2002.

[26] STARE: Structured Analysis of the Retina, [Online]: http://www.ces.c1emson.edul-ahoover/stare/

[27] Y. LeCun, L.D. Jackel, L. Bottou, C. Cortes, J.S. Denker, H. Drucker, V. Vapnik., “Learning algorithms for classification: A comparison on handwritten digit recognition”, Neural Networks: The Statistical Mechanics Perspective, 261–276. 1995.

[28] A. Karpathy, G. Toderici, S. Shetty, T. Leung, R. Sukthankar, and L. FeiFei, “Large-scale video classification with convolutional neural networks,” In Proceedings of the IEEE conference on Computer Vision and Pattern Recognition (pp. 1725-1732), 2014.

[29] H. He, E. A. Garcia, “Learning from Imbalanced Data,” IEEE Transactions on Knowledge and Data Engineering vol. 21, no. 9, pp. 1263–1284, 2009.

[30] G. C. Cawley, N. L. C. Talbot, “Efficient leave-one-out cross-validation of kernel Fisher discriminant classifiers”, Pattern Recognition, vol. 36, pp. 2585–2592, 2003.

CERTIFICATE OF PRESENTATION

This certificate acknowledge that

Bambang Krismono Triwijoyo

Presented a Paper Titled

Retina Disease Classification Based on Colour Fundus Images
Using Convolutional Neural Networks

"Computational Intelligence and IoT"
2017 International Conference
on Innovative and Creative Information Technology

Universitas Kristen Satya Wacana

Salatiga, November 2-4, 2017

Hindriyanto D. Purnomo, Ph.D
General Chair

Dr. Dharma Putra T. Palekahelu, M.Pd
Dean Faculty of Information Technology