

The 2nd International Conference on Computer
Science and Computational Intelligence



Discovery and Innovation of Computer Science Technology
in Artificial Intelligence Era



**The 2nd International Conference on Computer Science and
Computational Intelligence 2017**

(ICCSCI 2017)

Bali, 13-14 October 2017

**Discovery and Innovation of Computer Science Technology in
Artificial Intelligence Era**

School of Computer Science

Bina Nusantara University

2017

Publisher of the proceedings



Indexed by:



About Procedia Computer Science

Open Access

Area Editors: Wm. Agresti, J. O. Aje, S. Baek, I. Bojanova, F. Bouthillier, F. J. Cantú Ortiz, A. Carswell, I. Casas, G. Darkazalli, E.A. Edmonds, C. Ghezzi, R. Khan, M. Koval, M. Levy, B. Lin, R. V. McCarthy

ISSN: 1877-0509

What is Procedia Computer Science?

Launched in 2009, *Procedia Computer Science* is an electronic product focusing entirely on publishing high quality conference proceedings. Procedia Computer Science enables fast dissemination so conference delegates can publish their papers in a dedicated online issue on ScienceDirect, which is then made freely available worldwide.

Conference proceedings are accepted for publication in Procedia Computer Science based on quality and are therefore required to meet certain criteria, including quality of the conference, relevance to an international audience and covering highly cited or timely topics. Procedia Computer Science will cover proceedings in all topics of Computer Science with the exception of certain workshops in Theoretical Computer Science, as our Electronic Notes in Theoretical Computer Science <http://www.elsevier.com/locate/entcs> are the primary outlet for these papers. The journal is indexed in Scopus, the largest abstract and citation database of peer-reviewed literature.

The 2nd International Conference on Computer Science and Computational Intelligence 2017,
ICCSCI 2017, 13-14 October 2017, Bali, Indonesia

Preface

Widodo Budiharto, Lili Ayu Wulandhari
Bina Nusantara University, Indonesia

The 2nd International Conference on Computer Science and Computational Intelligence (ICCSCI 2017) is biennial forum for researchers, engineers and scientist to disseminate their knowledge and research on Computer Science, Computational Intelligence and Information Technology. The conference warmly welcomes prospected authors to submit their research and idea to ICCSCI 2017, and share the valuable experiences with the scientist and scholars around the world.

ICCSCI 2017 received 126 manuscripts from nine countries, namely Indonesia, Malaysia, Thailand, Saudi Arabia, Iran, China, Korea, Mexico and Finland. After careful review process of 126 manuscripts, 77 manuscripts were accepted or approximately 61.1% rate of acceptance. This manuscripts are divided into five tracks; Intelligent Systems, Machine Vision, Information System, Computational Linguistic, Computing, Software Engineering, Security and Network.

We would like to appreciate all participants, keynote speakers, reviewers and committee for the contributions to the conference program and proceeding. We would like to express our gratitude to the reviewers for the valuable review and suggestion, so that we can maintain the quality of this proceeding very well. This conference is held in success collaboration between Program committee and Technical committee. We would like to thank Elsevier for supporting publication of this conference proceeding.

We are looking forward for the next event in computer science and computational intelligence in the future.

Program Schedule
The 2nd International Conference on Computer Science and Computational Intelligence 2017,
ICCSCI 2017
13-14 October 2017, Bali Dynasty Resort, Bali, Indonesia

Day 1	Friday, 13 October, 2017	
Time	Activity	Room
08.00 - 09.00	Registration and coffee break	
09.00 - 10.30	Opening Ceremony: 1. Speech from General Chair of ICCSCI 2017: Lili Ayu Wulandhari, Ph.D. 2. Speech from Guest Editor of ICCSCI 2017 Prof. Dr. Widodo Budiharto 3. Speech from Dean of School of Computer Science, Bina Nusantara University: Fredy Purnomo, S.Kom., M.Kom. 4. Photo Session	Kertagosa
10.30 - 12.00	Keynote speaker 1: Prof. Patrick Hénaff Biological inspired control for rhythmic movement of humanoid robots.	Kertagosa
12.00 - 13.30	Lunch and Jumaat Prayer	Restaurant
13.30 - 15.00	Keynote speaker 2: Dr. Surya Sumpeno Biomedical Engineering Research in the Social Network Analysis Era: Stance Classification for Analysis of Hoax Medical News in Social Media	Kertagosa
15.00 - 15.30	Coffee Break	
15.30 - 17.00	Parallel Session 1	Kertagosa, Nusa Penida 1,2,3
Day 2	Saturday, 14 October, 2017	
Time	Activity	Room
08.00 - 08.30	Registration and coffee break	
08.30 - 10.30	Parallel Session 2	Kertagosa, Nusa Penida 1,2,3
10.30 - 12.00	Parallel Session 3	Kertagosa, Nusa Penida 1,2,3
12.00 - 13.00	Lunch	
13.00 - 15.00	Parallel Session 4	Kertagosa, Nusa Penida 1,2,3
15.00 - 15.30	Coffee Break	
15.30 - 17.00	Parallel Session 5	Kertagosa, Nusa Penida 1,2,3
18.00-20.00	Dinner Announcement of Best Paper Award Announcement of Best Presenter Awards	Hotel Restaurant

Parallel Session Schedule

Day 1

13 October, 2017

Parallel Session 1

Room Kertagosa

Time 15.30 - 17.00

Chairman Prof. Patrick Hénaff

ID	Author	Title
277	Henry Ham	Unsupervised Hand Detection in Class Room Using Combination of Skin Detection and Hough Transform
242	Lorenzo M. Elguea	An efficient method to compare latencies in order to obtain the best route for SDN
214	Leo Andika	Towards A Design for An Extendable Reporting Interface
263	Masita @ Masila Abdul Jalil	Knowledge Representation Model for Crime Analysis
227	Henry Chong	SeCBD: The Application Idea from Study Evaluation of Ransomware Attack Method in Big Data Architecture

Day 1

13 October, 2017

Parallel Session 1

Room Nusa Penida 1

Time 15.30 - 17.00

Chairman Prof. Widodo Budiharto

ID	Author	Title
171	Mohamed Othman	Performance Modeling of x-Folded TM Architecture in the Presence of Transpose Traffic
247	Zahedi	Stepwise Optimization for Model of Integrated Batch Production and Maintenance Scheduling for Single Item Processed on Flow Shop with Two Machines in JIT Environment
139	Aisha Gemala Jondya	Indonesian's Traditional Music Clustering Based on Audio Features
131	Edo Barfian	Twitter Pornography Multilingual Content Identification Based on Machine Learning

Day 1

13 October, 2017

Parallel Session 1

Room Nusa Penida 2

Time 15.30 - 17.00

Chairman Prof. Ir. Mauridhi

ID	Author	Title
120	Fatihah Mohd	A Comparative Study to Evaluate Filtering Methods for Crime Data Feature Selection
138	Bambang Krismono Triwijoyo	The Classification of Hypertensive Retinopathy using Convolutional Neural Network
137	Muhammad Saleem	Interest Indicators in Structured Scientific Articles
255	Miyoung Shin	Sleep stage classification based on noise-reduced fractal property of heart rate variability

Day 1

13 October, 2017

Parallel Session 1

Room Nusa Penida 3

Time 15.30 - 17.00

Chairman Prof. Bahtiar S. Abbas

ID	Author	Title
225	Jeklin Harefa	Comparison between Neural Network and Support Vector Machine in Optical Character Recognition
235	Joseph Tarigan	Plate Recognition Using Backpropagation Neural Network and Genetic Algorithm
278	Diah Anggraeni Pitaloka	Enhancing CNN with Preprocessing Stage in Automatic Emotion Recognition
297	Alexander A S Gunawan	Fast and Optimal Visual Tracking based on Spectral Method

Day 2**14 October, 2017****Parallel Session 2**

Room Kertagosa
Time 08.30 - 10.30
Chairman Prof. Patrick Hénaff

ID	Author	Title
287	Mohamed Othman	Efficient Topology Discovery in Software Defined Networks:Revisited
311	YanFi	A Gamification Interactive Typing for Primary School Visually Impaired Children in Indonesia
152	Ida Bagus Kerthyayana Manuaba	Text-Based Games as Potential Media for Improving Reading Behaviour in Indonesia
260	Harris Kristanto Husien	Towards a Severity and Activity based Assessment of Code Smells
274	Dwitika Diah Pangestuti	Analysis and Implementation of User Interface of Smart Drive System Using Goal-Directed Design Method

Day 2**14 October, 2017****Parallel Session 2**

Room Nusa Penida 1
Time 08.30 - 10.30
Chairman Prof. Bahtiar S. Abbas

ID	Author	Title
113	Alexander A S Gunawan	Implementation of Blind Speech Separation for Intelligent Humanoid Robot using DUET Method
250	Miyoung Shin	Correlation Analysis between Electrocardiography (ECG) and Photoplethysmogram (PPG) Data for Driver's Drowsiness Detection Using Noise Replacement Method
258	Aryo Pradipta Gema	It Takes Two To Tango: Modification of Siamese Long Short Term Memory Network with Attention Mechanism in Recognizing Argumentative Relations in Persuasive Essay
283	Intan Nurma Yulita	Bi-directional Long Short-Term Memory using Quantized data of Deep Belief Networks for Sleep Stage Classification
207	Widodo Budiharto	Help The Math Town: Adaptive Multiplayer Math-Science Games using Fuzzy Logic

Day 2**14 October, 2017****Parallel Session 2****Room** Nusa Penida 2**Time** 08.30 - 10.30**Chairman** Prof. Ir. Mauridhi

ID	Author	Title
11	Derwin Suhartono	Automatic Debate Text Summarization in Online Debate Forum
300	Irene Anindaputri Iswanto	Visual Object Tracking Based on Mean-shift and Particle-Kalman Filter
155	Margaretha Ohyver	Logistic Regression and Growth Charts to Determine Children Nutritional and Stunting Status: A Review
188	Hendy Reginald Cuaca Dharma	Basic Japanese Grammar and Conversation e-learning through Skype and Zoom Online Application
253	Felix Martinez-Rios	A new hybridized algorithm based on Population-Based Simulated Annealing with an experimental study of phase transition in 3-SAT

Day 2**14 October, 2017****Paralel Session 2****Room** Nusa Penida 3**Time** 08.30 - 10.30**Chairman** Fredy Purnomo, S.Kom., M.Kom

ID	Author	Title
134	Husni Thamrin	A Rule Based SWOT Analysis Application: A Case Study for Indonesian Higher Education Institution
168	Haryani Haron	A Conceptual Model Participatory Engagement Within E-learning Community
187	S. Rohajawati	Knowledge Transfer: A Conceptual Model and Facilitating Feature in Start-up Business
239	Ramadiani	User Satisfaction Model for e-Learning Using Smartphone
275	Junita Juwita Siregar	Analysis of Affecting Factors Technology Acceptance Model in The Application Of Knowledge Management for Small Medium Enterprises in Industry Creative

Day 2

14 October, 2017

Parallel Session 3

Room Kertagosa
Time 10.30 - 12.00
Chairman Prof. Mohamed Othman

ID	Author	Title
261	Fredy Purnomo	Simulation Game as a Reference to Smart City Management
150	Andry Chowanda	Location-based game to enhance player's experience in survival horror game
34	Agus Prahono	Evaluating the Implementation of Public Information Disclosure on the Official Website of Indonesian Ministries
112	Fidelson Tanzil	The Influence of Game "Nutrients Hero" For Healthy Diet

Day 2

14 October, 2017

Parallel Session 3

Room Nusa Penida 1
Time 10.30 - 12.00
Chairman Prof. Felix Martinez-Rios

ID	Author	Title
193	Ngarap Im Manik	Proof Of Normal Subgroups and Factor Groups Based on Java Programming Language
294	Dewi Suryani	Mobile Smart Travelling Application For Indonesia Tourism
304	Widodo Budiharto	Mango Fruit Sortation System using Neural Network and Computer Vision
307	Lili A Wulandhari	Machine Learning and SIFT Approach for Indonesian Food Image Recognition

Day 2

14 October, 2017

Parallel Session 3

Room Nusa Penida 2 / 702 Kampus Anggrek BINUS

Time 10.30 - 12.00

Chairman Dr. Suharjito

ID	Author	Title
15	Rita Layona	Authoring Tool for Interactive Video Content for Learning Programming
25	Benfano Soewito	WAN Optimization to Speed up Data Transfer
36	Yulyani Arifin	Design and Development Game Chinese Language Learning with Gamification and Using Mnemonic Method
114	Bayu Kanigoro	Android Based Indonesian Information Culture Education Game
153	Budi Yulianto	Harmonik = ++(Web IDE)

Day 2

14 October, 2017

Parallel Session 3

Room Nusa Penida 3 / 704 Kampus Anggrek BINUS

Time 10.30 - 12.00

Chairman Dr. Faisal

ID	Author	Title
309	Edy Irwansyah	Offline Signature Recognition and Verification System using Efficient Fuzzy Kohonen Clustering Network (EFKCN) Algorithm
219	Ferdinand A. Luwinda	"TripBuddy" Travel Planner with Recommendation based on User's Browsing Behaviour
12	Novita Hanafiah	Text Normalization Algorithm on Twitter in Complaint Category
132	Rini Wongso	News Article Text Classification in Indonesian Language

Day 2

14 October, 2017

Parallel Session 4

Room Kertagosa
Time 13.00 - 15.00
Chairman Lili Ayu Wulandhari, Ph.D.

ID	Author	Title
243	Rojali	Improvement of Advanced Encryption Standard Algorithm with Shift Row and S.Box Modification Mapping In Mix Column
310	Meiliana	Automated Test Case Generation from UML Activity Diagram and Sequence Diagram using Depth First Search Algorithm
262	Rhio Sutoyo	Overcome Acrophobia with the Help of Virtual Reality and Kinect Technology
315	Sonya Rapinta Manalu	Development of Review Rating and Reporting in Open Journal System

Day 2

14 October, 2017

Parallel Session 3

Room Nusa Penida 1
Time 13.00 - 15.00
Chairman Dr. Alexander Agung

ID	Author	Title
305	Derwin Suhartono	Personality Prediction System from Facebook Users
298	Andry Chowandaa	Recurrent Neural Network to Deep Learn Conversation in Indonesian
296	Widodo Budiharto	EduRobot: Intelligent Humanoid Robot with Natural Interaction for Education and Entertainment
220	Aswin Wibisurya	Distributed Steganography Using Five Pixel Pair Differencing and Modulus Function

Day 2

14 October, 2017

Parallel Session 4

Room Nusa Penida 2 / 702 Kampus Anggrek BINUS

Time 13.00 - 15.00

Chairman Dr. Williem

ID	Author	Title
149	Faisal	An Algorithm to Find Square Root of Quadratic Residues over Finite Fields using Primitive Elements
119	Zulfany Erlisa Rasjid	Performance Comparison and Optimization of Text Document Classification using k-NN and Naïve Bayes Classification Techniques
147	Ro'fah Nur Rachmawati	Hierarchical Linear Mixed Model for Poverty Analysis in Indonesia
62	Karto Iskandar	Current Issue on Knowledge Management System for future research: a Systematic Literature Review
221	Afan Galih Salman	Development of Affordable and Powerful Swarm Mobile Robot Based on Smartphone Android and IOIO board

Day 2

14 October, 2017

Paralel Session 4

Room Nusa Penida 3 / 704 Kampus Anggrek BINUS

Time 13.00 - 15.00

Chairman Dr. Benfano

ID	Author	Title
14	Suharjito	Mobile Expert System Using Fuzzy Tsukamoto for Diagnosing Cattle Disease
148	Khairil Anwar Notodiputro	Group LASSO for Rainfall Data Modeling in Indramayu District, West Java, Indonesia
192	Khairil Anwar Notodiputro	Linear Mixed Model for Analyzing Longitudinal Data: A Simulation Study of Children Growth Differences
256	Suharjito	Sign Language Recognition Application Systems for Deaf-Mute People: A Review Based on Input-Process- Output
241	Zulfany Erlisa Rasjid	A review of collisions in cryptographic hash function used in digital forensic tools



2nd International Conference on Computer Science and Computational Intelligence 2017, ICCSCI
2017, 13-14 October 2017, Bali, Indonesia

The Classification of Hypertensive Retinopathy using Convolutional Neural Network

Bambang Krismono Triwijoyo^{*,a}, Widodo Budiharto^a, Edi Abdurachman^a

^aDoctor of Computer Science, Binus University, Jalan Kebon Jeruk Raya No. 27 Jakarta 11530, Indonesia

Abstract

Changes in the retina of the eyes may occur due to high blood pressure, hypertensive retinopathy (HR) is a type of eye disease in which there is a change of the blood vessels of the eyes in the eye retina caused by arterial hypertension. HR signs occur because of narrowing of the arteries in the retina, bleeding in the retina of the eye and cotton wool spots. The diagnosis is conventionally performed by an ophthalmologist by performing fundus image analysis to determine the phases of HR disease symptoms. This paper proposes an early detection system of hypertensive retinopathy disease. We propose to use Fundus image as a Convolutional Neural Network (CNN) input to determine whether there are any HR symptoms or not. The proposed system is tested by DRIVE image dataset and base on experiment, the accuracy of proposed method is 98.6%, where the more the number of iterations the higher the accuracy level of the training

© 2017 The Authors. Published by Elsevier B.V.

Peer-review under responsibility of the scientific committee of the 2nd International Conference on Computer Science and Computational Intelligence 2017.

Keywords: Hypertensive retinopathy; Classification; Convolutional Neural Network.

1. Introduction

The majority of heart attack patients occur because of the absence of signs of known high blood pressure. Hypertension retinopathy (HR) is a sign of high blood pressure. The main signs of HR include the narrowing of arteries

* Corresponding author. Tel.: +62852-3952-9701.

E-mail address: bambang.triwijoyo@binus.ac.id

in the retina of the eye, the occurrence of bleeding in the retina of the eye and cotton wool spots. Figure 1 shows retinal image of the eyes without HR and retinal image of the eyes that have signs of HR disease. Therefore, it is important to know accurately the early signs of HR symptoms for preventive and treatment measures. In general, the usual action is to perform a fundus image analysis by the doctor whether there is a sign of HR disease, this action is done because the retina of the eye is an object that can be used by doctors to conduct examination of the blood vessels of the retina of the eye directly without surgery.




Fig. 1. Fundus images a) Normal, b) Symptoms of hypertensive retinopathy ¹.

The majority of heart attacks occur in people with unknown or detectable high blood pressure. HR is one indication in patients with high blood pressure that can cause acute damage to the patient's vision. Stroke attacks occur as a result of HR which is a symptom of hypertension that is not detected early. Stroke risk assessment can be performed by analyzing the patient's retinal image to determine the early signs of HR symptoms ². Early diagnosis of HR symptoms is very important as a precaution and treatment of stroke patients more accurately.

A computer-based system is needed to facilitate ophthalmologists detect retinal diseases, diagnosis and treatment more accurately. This paper proposed a model to classify whether a patient is exposed to HR symptoms or not as an initial measure to anticipate the risk of stroke and heart attack using Convolutional Neural Network (CNN).

2. Related work

There have been many previous studies to recognize HR symptoms through retinal photos of the eyes, each of the researchers using a variety of techniques and methods to perform HR symptom detection automatically. ³ Detects HR using vascular segmentation methods on the retina of the eye using Radon transformation, as well as optical disk detection using Hough transformation, then calculates the ratio of arterial vein and Vein from the retina of the eye (AVR), ³ use test data from Digital Retinal Images for Vessel Extraction (DRIVE) database with an accuracy of 92%. Other HR detection systems are also proposed by ⁴ they segmented vessel using Gabor wavelet, gradients, morphological operations and Niblack and measuring the vessel caliber as classification feature with an accuracy of 92%. Methods of HR symptom detection are also proposed by ⁵ to estimate the vessel width using skeleton method, this system was tested in DRIVE with an accuracy of 93.7% and also tested in Structured Analysis of the Retina (STARE) database with an accuracy of 93.1%.

Researchers ⁶ proposed HR disease detection methods with ship segmentation techniques on retinas in gray scale, and uses support vector machines (SVM) for classification. Information from the intensity and color of retinal imagery is used for classification as arterial and venous blood vessels then performs the ratio of the width of vessels and arterial and venous blood vessels. The system has been tested on VICAVR database with 93% accuracy rate. ⁷ Propose a method of HR classification by measuring the ratio of arteries and veins (AVR) automatically. Vein segmentation and feature extraction based on color intensity are used for classification such as arteries and veins using SVM and discriminant analysis. The proposed algorithm has been tested on a DRIVE database with 96% accuracy. An HR disease detection method is automatically proposed by ⁸ they were classified the segmented image into arteries and veins by using the linear discriminant analysis with an accuracy of 88.2%, while the HR disease classification method using artificial neural networks has been proposed by ⁹, which uses a combination of Neural network and Decision Tree (DT) to determine the area of the vein or arterial in the retina and using the naïve Bayes method and Support

Vector Machine (SVM) for HR classification with an accuracy using ANN is 76%, using Naive Bayes is 75%, using Decision Tree is 68% and using Support Vector machines is 81%. Several previous research studies that we have done make reference in this study and for further research.

From a number of previous studies using the Artificial Neural Network method for medical image classification, only a few researchers have used the Deep Learning approach for HR disease classification, Such as ¹⁰ to detection of diabetic retinopathy. They use a Stacked Sparse Auto Encoder (SSAE) to extract the high level feature directly from raw images by Deep Learning strategy with an accuracy of 96.2% , so this is still open area of research to continue.

3. Theoretical Background

3.1. Convolutional Neural Network (CNN)

One of the Deep Learning architecture models is the Convolutional Neural Network (CNN) which is the development of the Multilayer Neural Network model designed to be able to process two-dimensional data. CNN is one type of Deep Neural Network (DNN) with a high layer depth on the network and is most widely used for image or video data Multilayer Perceptron (MLP) is less suitable for image classification, because it cannot store spatial information from images. MLP reads each pixel as an independent feature and therefore the result is not good. CNN is a good alternative to image classification. CNN was originally developed by ¹¹ under the name Neo-Cognitron. The CNN model is perfected by ¹² under the name LeNet which was developed by LeCun to recognize numerical and handwritten images MLP has a similar way of working with CNN, but on CNN neurons are arranged in two-dimensional format whereas neurons in MLP are in one-dimensional format which is neuro-biologically motivated by sensitive nerve findings and local selective orientation cells in the visual cortex ¹³. The construct structures implicitly extract the relevant features, with the weight of the nerve weights one layer into the local receptive on the layer is in front of it, so the second layer map feature on the convolutional layer experiences a spatial scale descent ¹³. Besides that there is a decrease in the number of parameters by using the same weight for the overall feature on feature map ¹⁴. Figure 2 shows organization of layers in the CNN of the proposed by ¹⁵ where S is stride, P is zero padding and n is number of hidden units in penultimate affine layer variable in different CNN.




Fig. 2. The architecture of the CNN ¹⁴.

3.1.1. Convolutional Layer

This is the first and foremost layer laid after the input images which want to be classified. The backbone of the convolutional neural network is local receptive fields and shared weights. These are making deep convolutional neural network for image recognition. In the process of recognizing images in the convolution layer there are several layers, where each layer consists of several neurons that extract a small part of the input image and invoke certain receptive fields. Each feature map of the convolutional neural network shared the same weights and bias values ¹⁶, this share values will represent the same feature all over the image. Depends on the application, the feature map generation is varied.

In the convolution layer there are several kernels or local receptive fields (set filters), where each filter is combined with an input image. Further features of the input image are extracted on a new layer or activation map. Each input image produces an activation map that represents some special characteristic or important feature, the layer of $N \times N$ input neuron multiplied by the filter $m \times m$. Then, (S) is the output size of the convolution layer, where S is derived from:

$$S = (N - n + 1) \times (N - m + 1) \quad (1)$$

It applied non- linearity through neural activation function.

3.1.2. Pooling Layer

Pooling layer is one of the most significant layers which help the network from avoiding over-fitting by reduce Some parameters and computing within the network. The workings of the pooling layer is a non-linear down sampling process, which divides the activation map into specific sizes as well as collects the maximum value in the sub-region. Pooling partition a down size the pixels with features. For instance, if $N \times N$ input layer, that will give output layer of $(N/K) \times (N/K)$ layer. The main significance of pooling layer selecting the generated feature can be found in the image area section, further removing the information in the appropriate positions.

3.1.3. Rectified Linear Unit (ReLU) Layer

The ReLU layer is an activation function obtained through the equation.

$$f(x) = \max(0, x) \quad (2)$$

Where x is the input to the neuron and the transfer function is finely approximated to the rectifier into an analytic function.

$$f(x) = \ln(1 + e^x) \quad (3)$$

This activation function induces the sparsity in the hidden units. Also, It has been shown that the deep neural networks can be trained efficiently compared than *sigmoid* and logistic regression activation function. The transfer function of ReLU has a section that can normalize the input to avoid saturation conditions in the training process. Some training algorithms generate positive feedback to the ReLU transfer function so that training will be performed on the neuron¹⁷.

3.1.4. Fully Connected Layer

Fully connected layer is a CNN layer whose position is after the convolutional layer and the pooling layer. The reasoning process occurs in the fully connected layer during classification. The fully connected layer takes all neurons in the previous layer of the pooling layer and connects with all neurons in the fully connected layer where it is no longer spatially connected, but visualizes it in a one-dimensional layer.

3.1.5. Classification layer

After the stacked or deep multiple layers, the final layer is a *softmax* layer which stacked at the end for classifying the image followed by the fully connected layer output. Here, the deciding as a single-class classification or multi-class classification.

3.2. Training CNN

CNN is a special form of multilayer perceptron where its training method uses backpropagation¹². In each CNN convolution layer, a single filter generates one feature map by being applied at different spatial positions. This means

the set of weights the filter consists of are shared. A different feature map is then generated by a different filter and thus different weights, so that the number of parameters can be further reduced compared to the multilayer perceptron in which each neuron is interconnected, resulting in an implicit reduction of the test data and training data. In the subsampling layer there is a weight and bias that can be trained using the local average coefficient¹², which causes the independent parameters of the subsampling layer to be less than the convolution layer. In the CNN training process requires less computation time compared to multilayer perceptron training, this is because at least the number of free parameters. Another thing is that CNN does extraction of implicit and invariant features of distortion to some degree, so CNN is appropriate for the classification process especially pattern recognition. In artificial neural network problems, the network architecture must be trained repeatedly. If training data is not available then it can use the new data available¹⁸⁻²⁰.

3.3. Proposed Method

The Convolutional Neural Network (CNN) is applied on the task of HR Classification, and firstly, we have presented a fundus image in grayscale to reduce computational complexity by changing from three channel imagery to one channel image without losing feature information in image, we use dataset from Digital Retinal Images for Vessel Extraction (DRIVE) and then resize image to 32 X 32 pixels. Secondly, we convert image to CSV file format as a input of CNN. Finally, the training procedure of CNN until convergence, and the classification process of HR will be tested to calculate the accuracy of the classification result. The proposed method of HR classification shows on Figure 3.




Fig. 3. The diagram of the proposed method.

To test the system prototype, we used 40 images of 768 x 584 pixels in JPEG file format retrieved from the Digital Retinal Images for Vessel Extraction (DRIVE) database. The DRIVE dataset contains 40 images consisting of 20 normal retinas and 20 retinal images with HR symptoms. The first step is preprocessing to convert color fundus image into grayscale. Then, linear The initial stage is preprocessing in the form of a process of changing the colored retinal image into a grayscale form. The calculation of grayscale change uses the weighted sum of the three intensity channels of Red (R), Green (G) and Blue (B) channels based on the 1931 Y CIE formula²¹, which is based on

$$Y = 0.2126R + 0.7152G + 0.0722B \quad (4)$$

We resize each image to 32×32 pixel to reduce the complexity of image dimensions in order to accelerate the learning process, although with the limitations of some of the details the information will be lost. Next we convert each image into the matrix into the CSV format numeric matrix, in which the first column is the label for each image. The signals that the images are greyscale, they have only ones channel. For testing we use the ReLU activation function, 2 convolution layers and 2 pooling layers, 2 fully-connected layers and softmax output. Each convolutional layer uses a 5 x 5 kernel with a number of filters with certain coefficient values. The pooling layer uses max pooling. Table 1 presents the proposed CNN architecture.

Table 1. Proposed architecture of CNN for HR classification.

Layer	Type	Maps and neurons	Kernel
0	Input	1 map of 32 X 32 neurons	
1	Convolutional	20 maps of 32 X 32 neurons	5 X 5
2	ReLU	20 maps of 32 X 32 neurons	
3	Max pooling	20 maps of 16 X 16 neurons	2 X 2
4	Convolutional	50 maps of 16 X 16 neurons	5 X 5
5	ReLU	50 maps of 16 X 16 neurons	
6	Max pooling	50 maps of 8 X 8 neurons	2 X 2
7	Fully connected	500 neurons	1 X 1
8	ReLU	500 neurons	
9	Fully connected	1 neuron	1 X 1
10	Output softmax	1 neuron	




Fig. 4. Image Pre-processing: a) normal image, b) grayscale image, c) Resized image.

The implementation of CNN model has been implemented in R utilize the MxNet package, we use the value of learning rate 0.001 and cross-entropy learning criteria, with the number of iterations or epoch 8000, momentum 0.9 and the initiation value of all the weights in the full connected layer is 0.0005, meaning to initialize all the weights with the same value in the first iteration of the learning process, then the weight will be updated during the learning process. We do test scenarios, first using the number of training image objects of 20, 200 and 1000 each with 1000 iterations or epoch, and second we use 20 training image objects with a total of 10000 iterations. We duplicate from 20 training data in the DRIVE database to get the number of objects 200 and 1000 objects.

4. Result

To test our method, we use R to implement the method and run in machine with hardware specification Pentium Core i7 3.5 GHz and memory 8GB. Based on experiment the accuracy of classification hypertensive retinopathy is 98,6 %. This result can be due to the simplicity in the complexity of the dimensions of the input image, although its weakness will remove some information from the original image, so this method may be less suitable for other image types which are more concerned with the details of the original image information. However, we have not done comparison with the system without pre-processing, so in the follow-up research we will develop by reading the input image without pre-processing. Figure 5 show graph of learning process until 1000 iterations, where the results show that the more the number of training objects the accuracy of training is increasing, and figure 6 shows the accuracy of the training process using 20 objects up to 10000 iterations, where the more the number of iterations the higher the accuracy level of the training. The comparison of previous related work shows on table 2.




Fig. 5. Graph of learning process based on number of object




Fig. 6. Graph of learning process based on epoch.

Table 2. Comparison with others method.

Method	Classification	Dataset	Accuracy
Noronha et al. ³	Bayesian classifier	DRIVE	92%
Manikis et al ⁵	Statistical measure	DRIVE,	93.7%
		STARE	93.1%
Narasimhan et al ⁶	Support Vector Machines	VICAVR	93%
Mirsharif et al ⁷	Statistical measure	DRIVE	96%
Proposed method	Convolutional Neural Network	DRIVE	98.6%

The proposed method relatively have higher accuracy than others method, however in our future work, we will improve the accuracy with include a blood vessel of retina as a input feature of CNN and the classification not only two class which is normal and symptoms of HR but also the classification of HR grade base on four grades of HR.

5. Conclusion

The proposed of classification of hypertensive retinopathy has been presented. Base on experiment the accuracy of proposed method is 98.6 %, where the more the number of iterations the higher the accuracy level of the training the degree of accuracy of the training is pertinent to the number of training objects and the number of iterations. Our next research will make an early detection model of hypertensive retinopathy disease. Then perform the analysis of

the effectiveness and accuracy of the use of major features of HR disease, such as retinal vessels, optic disks for the classification of hypertensive retinopathy symptoms using Deep Learning and Boltzmann machine approaches on fully connected layers.

6. References

1. S. Khitran, M. U. Akram, A. Usman, and U. Yasin (2015) “Automated system for the detection of hypertensive retinopathy”, *4th Int. Conf. Image Process. Theory, Tools Appl. IPTA 2014*.
2. Y. T. Ong et al (2013) “Hypertensive retinopathy and risk of stroke,” *Hypertension Journal*, vol. 62, no. March, pp. 706–711.
3. K. Noronha, K.T. Navya, K.P. Nayak (2012) “Support System for the Automated Detection of Hypertensive Retinopathy using Fundus Images”, *International Conference on Electronic Design and Signal Processing (ICEDSP)*, pp.7-11.
4. Ortíz, Daniel., Cubides, Mauricio., Suárez, Andrés., Zequera, Martha., Quiroga, Julián., Gómez, Jorge., Arroyo, Nubia (2010) “Support system for the preventive diagnosis of hypertensive retinopathy”, *Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, EMBC **10**: 5649 - 5652.
5. Manikis, Georgios C., Sakkalis, Vangelis., Zabulis, Xenophon., Karamaounas, Polykarpos., Triantafyllou, Areti., Douma, Stella (2011) “An Image Analysis Framework for the Early Assessment of Hypertensive Retinopathy Signs”, *Proceedings of the 3rd International Conference on E-Health and Bioengineering - EHB*, 24th-26th November, 2011, Iași, Romania.
6. K. Narasimhan, V.C. Neha, K. Vijayarekha (2012) “Hypertensive Retinopathy Diagnosis from fundus images by estimation of AVR”, *International Conference on Modeling Optimization and Computing (IC-MOC)*, Procedia Engineering, **38**: 980 - 993.
7. Q. Mirsharif, F. Tajeripour, H. Pourreza (2013) “Automated characterization of blood vessels as arteries and veins in retinal images”, *Computerized Medical Imaging and Graphics*, Vol. 37, pp. 607- 617.
8. C. Muramatsu, Y. Hatanaka, T. Iwase, T. Hara, H. Fujita (2010) “Automated detection and classification of major retinal vessels for determination of diameter ratio of arteries and veins”, *Proc. of SPIE Medical Imaging*. **7624**,
9. Abbasi, Uzma Gulzar, Akram, Usman M (2014) “Classification of blood vessels as arteries and veins for diagnosis of hypertensive retinopathy”. *International Computer Engineering Conference*: 5-9.
10. J. Shan., L. Li (2016) “A Deep Learning Method for Microaneurysm Detection in Fundus Images,” *Proc. - 2016 IEEE 1st Int. Conf. Connect. Heal. Appl. Syst. Eng. Technol. CHASE 2016*, pp. 357–358
11. Fukushima, K (1988) “Neocognitron: A hierarchical neural network capable of visual pattern recognition”, *Neural Networks*, **1(2)**: 119–130.
12. LeCun, Y., Jackel, L. D., Bottou, L., Cortes, C., Denker, J. S., Drucker, H., Vapnik, V (1995) “Learning algorithms for classification: A comparison on handwritten digit recognition”, *Neural Networks: The Statistical Mechanics Perspective*, 261–276.
13. Haykin S. (1999) “Neural Networks: A Comprehensive Foundation” *Prentice Hall. Chapter 4 Multilayer Perceptrons*: 156–255
14. LeCun Y, Bengio Y (1995) “Convolutional Networks for Images, Speech, and Time-Series”, *The Handbook of Brain Theory and Neural Networks*. MIT Press.
15. D. Maji, A. Santara, P. Mitra, and D. Sheet (2016) “Ensemble of Deep Convolutional Neural Networks for Learning to Detect Retinal Vessels in Fundus Images”, *CoRR*: 1–4.
16. J. Chu and A. Krzyżak (2014) “Application of Support Vector Machines, Convolutional Neural Networks and Deep Belief Networks to Recognition of Partially Occluded Objects,” *Artificial Intelligence And Soft Computing*, vol. 4, no. 1, pp. 34–46.
17. A. Krizhevsky, G. E. Hinton, and I. Sutskever (2012) “ImageNet Classification with Deep Convolutional Neural Networks,” *Advances In Neural Information. Processing System*, pp. 1–9.
18. A. Anuse and V. Vyas (2016) “A novel training algorithm for convolutional neural network,” *Complex Intelligence System*. **2**: 221–234
19. K. He, X. Zhang, S. Ren, and J. Sun (2016) “Deep Residual Learning for Image Recognition,” *2016 IEEE Conference of Computer Vision and Pattern Recognition*., pp. 770–778.
20. K. Simonyan and A. Zisserman (2015) “Very Deep Convolutional Networks for Large-Scale Image Recognition,” *in International Conference on Learning Representations (ICRL)*, 2015, pp. 1–14.
21. Michael Stokes, Matthew Anderson, Srinivasan Chandrasekar, and Ricardo Motta (2012) “A Standard Default Color Space for the Internet” – *sRGB*.

Certificate of Oral Presentation

Presented to

Bambang Krismono Triwijoyo


Bina Nusantara University, Indonesia

Paper ID : 138
Paper Title : The Classification of Hypertensive Retinopathy using Convolutional Neural Network

For successfully presenting his/her paper in the 2nd International Conference on Computer Science and Computational Intelligence 2017, during 13–14 October 2017, in Bali, Indonesia.



Lili Ayu Wulandhari, S.Si., M.Sc., Ph.D
General Chair of ICCSCI 2017



Fredy Purnomo, S.Kom., M. Kom.
Dean of School of Computer Science